

Table of Contents



Ohio CEW Qualifying Foodservice Equipment

Equipment must meet program specification requirements. For programs listed with CEW (California Energy Wise) ratings refer to this chart.

[Combi Ovens](#)

[Convection Ovens](#)

[Dishwashers](#)

[Fryers](#)

[Steam Cookers](#)

Updated 7-29-21

CEW Qualified Combination Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to](#)
[Table of Contents](#)

Company	Model Number	Size (Steam Pans)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Rate (Btu/h or kW)	Convection Mode			Steam Mode			
						Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)
AccuTemp	T0621IN	12	Gas	7,235	4030	57%	107	-	4,235	57%	182	-
Alto-Shaam	7.14 ESG	14	Gas	8,100	7930	49%	133	0	9,530	40%	198	4.6
Alto-Shaam	CTC7-20G	16	Gas	6,773	5517	60%	173	1.3	1,654	52%	161	0.9
Alto-Shaam	CTP20-20G	40	Gas	16,117	12193	63%	402	0.4	2,537	50%	325	9.1
Alto-Shaam	CTP7-20G	14	Gas	6,767	5950	59%	142	10.6	5,456	47%	250	12.2
Angelo Po	FX122G3**	24	Gas	9,304	7693	63%	216	1.8	8,696	55%	223	2.6
Angelo Po	FX202G3**	40	Gas	21,330	11087	63%	369	2.5	13,236	59%	501	5.8
Angelo Po	FX82G3**	16	Gas	7,387	6550	60%	145	2	7,334	54%	191	3.7
BKI	AETG102R	20	Gas	10,670	6706	64%	168	-	5,324	45%	170	-
Blodgett	BLC*-102G	20	Gas	7,042	6717	60%	181	0	17,254	42%	148	19.1
Blodgett	BLC*-62G	10	Gas	6,621	4212	59%	114	0	13,431	50%	144	10.0
Convotherm	C4e* 10.20GS	22	Gas	7,559	7127	63%	227	0	7,066	58%	299	1.7
Convotherm	C4e* 20.20GB	40	Gas	13,996	10270	61%	391	3.3	11,927	48%	352	9.6
Convotherm	C4e* 6.20GB	14	Gas	5,187	5438	62%	132	0	7,439	51%	167	4.3
Convotherm	C4e* 6.20GS	14	Gas	4,977	5101	62%	141	0	5,003	58%	204	2.5
Convotherm	OGB-6.20	14	Gas	6,509	5144	60%	150	19.1	12,123	44%	198	10.8
Convotherm	OGS-10.20	22	Gas	8,540	7100	61%	210	0	7,370	47%	277	0.9
Convotherm	OGS-20.20	40	Gas	17,901	6703	61%	415	42.3	10,604	57%	649	14.8
Convotherm	OGS-6.20	14	Gas	5,140	4801	59%	133	0	5,099	57%	187	2.2
Electrolux	Air-O-Convect AOS062GCP1	12	Gas	4,356	7175	55%	132	0	11,752	48%	160	2.9
Electrolux	COG61C30	6	Gas	2,830	3173	58%	66	0	6,819	50%	122	3.4
Eloma	Genius *T10-11	10	Gas	5,396	8000	60%	103	0	13,317	51%	189	4.2
Eloma	Genius *T6-11	6	Gas	3,763	5077	57%	66	0	9,515	48%	119	2.9
Giorik	SETG102W	20	Gas	10,670	6706	64%	168	-	5,324	45%	170	-
Henny Penny	FPG115	10	Gas	4,960	3755	61%	104	0	8,081	53%	168	9.2
Henny Penny	GCC615	6	Gas	3,655	4481	52%	60	0	7,455	44%	78	7.3
Henny Penny	GSC115	10	Gas	5,234	5531	57%	90	0	8,467	46%	140	6.1
Lainox	NAGB071	7	Gas	3,750	4650	56%	63	2.6	7,531	43%	107	4.7
Lainox	NAGB072	14	Gas	6,538	5932	56%	135	3.8	7,224	46%	211	6.2
Lainox	NAGB101	10	Gas	5,440	5387	58%	95	0	6,748	44%	158	8.3
Lainox	NAGB201	20	Gas	10,516	7784	60%	220	12.9	6,119	44%	297	12.3

CEW Qualified Combination Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to](#)
[Table of Contents](#)

Company	Model Number	Size (Steam Pans)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Rate (Btu/h or kW)	Convection Mode			Steam Mode			
						Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)	Idle Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gph)
Lainox	NAGB202	40	Gas	13,709	10921	61%	403	13.4	8,683	55%	526	12.3
Lainox	NAGV071	7	Gas	3,750	4650	57%	64	2.3	4,861	50%	93	1.0
Lainox	NAGV072	14	Gas	6,538	5932	56%	135	3.8	7,556	50%	156	3.5
Lainox	NAGV101	10	Gas	5,440	5387	59%	95	0	6,421	46%	107	6.0
Lainox	NAGV201	20	Gas	10,516	7784	60%	220	12.9	7,833	54%	285	8.3
Lainox	NAGV202	40	Gas	13,709	10921	61%	403	13.4	11,729	56%	421	3.1
Lang	CPE 2.10G	20	Gas	7,042	6717	60%	181	0	17,254	42%	148	19.1
Piper	HMG072X	14	Gas	6,093	6456	54%	124	16.2	14,905	46%	211	19.4
RATIONAL	ICP 10-FULL NG (LM100EG) CE1GRRA.*****	20	Gas	6,729	5140	59%	215	16.8	6,653	54%	394	12.7
RATIONAL	ICP 10-HALF NG (LM100DG) CD1GRRA.*****	10	Gas	4,438	3833	62%	112	10.2	7,741	50%	195	13.7
RATIONAL	ICP 20-FULL NG (LM100GG) CG1GRRA.*****	40	Gas	14,615	8819	62%	414	0.1	7,813	58%	668	20.2
RATIONAL	ICP 20-HALF NG (LM100FG) CF1GRRA.*****	20	Gas	6,681	6130	63%	213	0	8,112	52%	407	12.0
RATIONAL	ICP 6-FULL NG (LM100CG) CC1GRRA.*****	12	Gas	4,823	4144	63%	131	1.9	5,347	48%	210	18.5
RATIONAL	ICP 6-HALF NG (LM100BG) CB1GRRA.*****	6	Gas	2,830	3061	62%	63	0	3,960	50%	119	2.2
RATIONAL	SCCWE101NG B1182***	10	Gas	9,908	4365	62%	106	-	5,743	44%	251	-
RATIONAL	SCCWE102NG B1282***	20	Gas	8,130	5340	57%	189	0.3	7,380	43%	313	33.8
RATIONAL	SCCWE202NG B2282***	40	Gas	12,556	9403	56%	373	12.1	14,447	56%	630	32.6
RATIONAL	SCCWE61NG B6182***	6	Gas	3,170	3735	57%	64	3.5	8,430	45%	119	12.0
RATIONAL	SCCWE62NG B6282***	12	Gas	4,952	3558	58%	126	9.2	7,769	54%	232	12.0
UNOX	XAVC-06-FS-GP*	12	Gas	5,911	4918	60%	117	0	8,506	48%	181	4.7
UNOX	XAVC-10FS-GP*	20	Gas	7,975	4051	63%	189	0	4,765	49%	260	12.7

CEW Qualified Convection Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Oven Size	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
American Range	M-1	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-1GL	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-1GR	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-2	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-2GL	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	M-2GR	Full	5	Gas	90,000	14,164	10,842	46%	101	0.75
American Range	MSD-1	Full	5	Gas	70,000	10,536	11,714	46%	85	0.34
American Range	MSD-2	Full	5	Gas	70,000	10,536	11,714	46%	85	0.34
Atosa	ATCO-513B	Full	5	Gas	46,000	9,395	11,145	54%	82	0.46
Bakers Pride	BCO-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Bakers Pride	CO11-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Bakers Pride	GDCO-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
BKI	COB-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
BKI	COM-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Blodgett	BDO-100G-ES	Full	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-100-ES	Full	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-100-K12-ES	Full	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	DFG-200-ES	Full	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blodgett	DFG-200-K12-ES	Full	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blodgett	DFG100	Full	5	Gas	55,000	10,800	11,200	46%	84	0.43
Blodgett	HV100G	Full	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HV100G-ES	Full	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HVH100G	Full	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	HVH100G-ES	Full	5	Gas	60,000	8,134	9,082	46%	101	0.38
Blodgett	ZEPH 100-G-ES	Full	5	Gas	45,000	8,582	7,179	53%	90	0.68
Blodgett	ZEPH 200-G-ES	Full	5	Gas	45,000	10,019	7,344	51%	97	0.62
Blue Seal	G32D5	Full	5	Gas	34,500	5,930	12,000	49%	61	0.13

CEW Qualified Convection Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Oven Size	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Duke Manufacturing	613Q-G1V	Full	5	Gas	40,000	9,900	10,000	56%	93	0.47
Duke Manufacturing	E101-G	Full	5	Gas	40,000	9,000	11,000	54%	94	0.46
Duke Manufacturing	E101-GV	Full	5	Gas	40,000	9,000	11,000	54%	94	0.46
Duke Manufacturing	E102-G	Full	5	Gas	40,000	9,000	11,000	54%	94	0.46
Garland	MCO-GS-10 ESS	Full	5	Gas	60,000	13,400	12,000	48%	103	0.74
Garland	MCO-GS-20 ESS	Full	5	Gas	60,000	13,400	12,000	48%	103	0.74
Hobart	HGC5-****	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53
Hobart	HGC5D-****	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53
Hobart	HGC5DX-****	Full	5	Gas	44,000	10,150	11,097	48%	90	0.54
Hobart	HGC5X-*****	Full	5	Gas	44,000	10,150	11,097	48%	90	0.54
Imperial	ICVG-1	Full	5	Gas	70,000	12,804	9,716	47%	103	0.3
Imperial	ICVG-2	Full	5	Gas	70,000	12,804	9,716	47%	103	0.3
Lang	GCSF	Full	5	Gas	60,000	12,085	9,293	46%	99	0.4
Moffat	G32D5	Full	5	Gas	34,500	5,930	12,000	49%	61	0.13
Montague	HX-63A*	Full	5	Gas	63,000	13,244	9,864	49%	97	0.63
Montague	HX2-63A*	Full	5	Gas	63,000	13,244	9,864	49%	97	0.63
Revent	ONE39G	Full	8	Gas	85,000	12,461	3,516	69%	127	0.61
Royal	RCOS-1	Full	5	Gas	70,000	12,465	8,866	55%	95	0.47
Royal	RCOS-2	Full	5	Gas	70,000	12,465	8,866	55%	95	0.47
Southbend	BGS/13CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/13SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/17CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	BGS/17SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	BGS/23CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/23SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	BGS/27CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	BGS/27SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42

CEW Qualified Convection Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Oven Size	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Southbend	GS/13CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/13SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/15CCH	Full	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/15SC	Full	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/17CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/17SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/23CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/23SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	GS/25CCH	Full	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/25SC	Full	5	Gas	90,000	8,858	8,983	49%	94	0.42
Southbend	GS/27CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	GS/27SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/13CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/13SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/17CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/17SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/23CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/23SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	KLGS/27CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	KLGS/27SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	PCR-1G	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	PCR-2G	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/12CCH	Full	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/12SC	Full	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/13CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/13SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/17CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42

CEW Qualified Convection Ovens

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Oven Size	Test Pan Capacity	Fuel Type	Rated Energy Input Rate (Btu or kWh)	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Fan/Control Energy (kW)
Southbend	SLGS/17SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/22CCH	Full	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/22SC	Full	5	Gas	72,000	8,744	9,432	48%	96	0.43
Southbend	SLGS/23CCH	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/23SC	Full	5	Gas	40,000	10,389	6,798	51%	78	0.41
Southbend	SLGS/27CCH	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Southbend	SLGS/27SC	Full	5	Gas	53,000	10,317	8,930	51%	87	0.42
Superior	GDCO-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Tri-Star	TSCO-G*	Full	5	Gas	60,000	9,050	9,253	48%	86	0.36
Vulcan	SG4*	Full	5	Gas	60,000	11,270	11,360	50%	89	0.53
Vulcan	SG44*	Full	5	Gas	60,000	11,270	11,360	50%	89	0.53
Vulcan	VC44G*	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53
Vulcan	VC4G*	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53
Vulcan	VC55G*_*D*	Full	5	Gas	50,000	7,939	9,473	50%	79	0.46
Vulcan	VC5G*_*D*	Full	5	Gas	50,000	7,939	9,473	50%	79	0.46
Vulcan	VC66G*	Full	5	Gas	44,000	10,150	11,097	48%	90	0.54
Vulcan	VC6G*	Full	5	Gas	44,000	10,150	11,097	48%	90	0.54
Wolf	WKGD	Full	5	Gas	44,000	9,800	11,850	48%	80	0.53

CEW Qualified Dishwashers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Type	Sanitation Method	Idle Energy Rate (kW)	Water Consumption (gal/rack)
Champion	DH6000	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.69	0.75
Champion	DH6000T	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.69	0.75
Electrolux	EHT8*IELG4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.43	0.49
Electrolux	EHT8*IELG8	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.46	0.51
Electrolux	EHT8ILG4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.48	0.51
Electrolux	EHT8ILG8	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.39	0.54
Electrolux	VDH63/1	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.39	0.48
Fagor	COP-174W	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.56	0.73
Hobart	AM15-2*	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.55	0.73
Hobart	AM15-4*	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.55	0.73
Hobart	AM15-6*	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.55	0.73
Hobart	AM15-8*	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.55	0.73
Hobart	AM15SVL	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.54	0.73
Hobart	AM15SVLT	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.54	0.73
Hobart	AM15T-2*	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.55	0.73
Hobart	AM15T-4*	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.55	0.73
Hobart	AM15T-6*	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.55	0.73
Hobart	AM15VL	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.54	0.73
Hobart	AM15VLF	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.54	0.73
Hobart	AM15VLT	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.54	0.73
Hobart	AM16-ASR-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16-BAS-10	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16-BAS-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16-BAS-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16-BAS-8	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16-SVLT-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67

CEW Qualified Dishwashers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Type	Sanitation Method	Idle Energy Rate (kW)	Water Consumption (gal/rack)
Hobart	AM16T-ASR-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16T-BAS-10	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16T-BAS-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16T-BAS-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16T-BAS-8	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16VL-ADV-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16VL-BAS-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16VL-BAS-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16VLT-ADV-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16VLT-BAS-2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Hobart	AM16VLT-BAS-4	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.67
Insinger Machine Company	CX20	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.5	0.65
Jackson	DynaStar HH	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.35	0.72
Jackson	DynaStar HH-VER	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.35	0.72
Jackson	DynaStar HH/N	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.35	0.72
Jackson	Tempstar HH-E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.46	0.72
Jackson	Tempstar HH-E-VER	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.46	0.72
Jet-Tech	747	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.25	0.66
Jet-Tech	757E	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.5	0.41
Jet-Tech	EV22-1	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.44	0.47
Jet-Tech	EV22-3	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.59	0.44
Jet-Tech	F-22	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.25	0.66
Lamber SNC	L21-ek	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.58	0.55
Lamber SNC	L25-ek (1 Phase)	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.41	0.67
Meiko	DV 80.2	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.27	0.74
Veetsan	VDH63	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.39	0.54
WareForce	HT-180**-**	Single Tank Door-Type	Hot Water Sanitizing (High Temp) Machine	0.4	0.66

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Alto-Shaam	ASF-60G	1	13	62	Gas	13,442	4,072	66%	82
Alto-Shaam	ASF-75G	1	22	73	Gas	16,936	4,825	71%	134
American Range	AF35HE	1	14	35	Gas	9,329	7,899	52%	63
American Range	AF50HE	1	14	50	Gas	11,903	7,966	50%	58
Anets	AH55	1	14	50	Gas	13,456	4,632	51%	67
BKI	BLG-FC	1	18	70	Gas	12,529	5,100	61%	56
Frymaster	2FQG30U***	2	13	30	Gas	9,592	3,962	56%	56
Frymaster	3FQG30U***	3	13	30	Gas	9,592	3,962	56%	56
Frymaster	4FQG30U***	4	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA230***	2	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA330***	3	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA430***	4	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIGLA530***	5	13	30	Gas	9,592	3,962	56%	56
Frymaster	BIH55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	BK55**	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP255**	2	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP355**	3	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP455**	4	14	50	Gas	13,951	5,604	55%	69
Frymaster	BKFP55**	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	ESG35T	1	14	35	Gas	9,582	8,233	50%	58
Frymaster	F*GL230	2	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL30	1	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL330	3	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL430	4	13	31	Gas	9,265	3,832	60%	66
Frymaster	F*GL530	5	13	31	Gas	9,265	3,832	60%	66
Frymaster	FPH155	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPH50	1	14	50	Gas	15,300	6,400	50%	57

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Frymaster	FPPH155	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH255	2	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH355	3	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH455	4	14	50	Gas	13,951	5,604	55%	69
Frymaster	FPPH555	5	14	50	Gas	13,951	5,604	55%	69
Frymaster	H55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	HD50G	1	14	50	Gas	11,117	8,386	52%	72
Frymaster	HD60G	1	18	80	Gas	16,362	10,242	52%	107
Frymaster	KH55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	MJH50	1	14	50	Gas	15,300	6,400	50%	57
Frymaster	MPH55	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH155	1	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH255	2	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH355	3	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH455	4	14	50	Gas	13,951	5,604	55%	69
Frymaster	PH555	5	14	50	Gas	13,951	5,604	55%	69
Frymaster	PMJH50	1	14	50	Gas	15,300	6,400	50%	57
Frymaster	YSCFH14G	1	14	50	Gas	11,117	8,386	52%	72
Frymaster	YSCFH214G	2	14	50	Gas	11,117	8,386	52%	72
Giles Enterprises, Inc.	GGF-400	1	13	45	Gas	7,998	3,835	54%	39
Giles Enterprises, Inc.	GGF-720	1	18.5	75	Gas	11,519	5,645	61%	80
Henny Penny	EEG-241	1	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-242	2	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-243	3	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-244	4	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-251	1	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-252	2	12	30	Gas	8,935	5,790	54%	64

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Henny Penny	EEG-253	3	12	30	Gas	8,935	5,790	54%	64
Henny Penny	EEG-254	4	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-201	1	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-202	2	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-203	3	12	30	Gas	8,935	5,790	54%	64
Henny Penny	LVG-204	4	12	30	Gas	8,935	5,790	54%	64
Henny Penny	OFG-321	1	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OFG-322	2	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OFG-323	3	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OGA-321	1	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OGA-322	2	13	62	Gas	13,755	7,040	50%	72
Henny Penny	OGA-323	3	13	62	Gas	13,755	7,040	50%	72
Keating	14 IFM	1	14	38	Gas	7,999	3,971	54%	58
Keating	18 IFM	1	18	68	Gas	19,908	7,139	51%	79
Lincat	OG7115	1	13	35	Gas	9,902	3,326	63%	55
Paloma	PF-2S	1	14	50	Gas	11,848	3,420	62%	72
PBI	2600530	1	18	80	Gas	16,362	10,242	52%	107
PBI	2600580	2	18	80	Gas	16,362	10,242	52%	107
Pearl City	P-30	1	30	75	Gas	17,596	8,352	71%	156
Pitco	BKSGH50SPC	1	14	50	Gas	10,275	8,510	54%	67
Pitco	MGII	1	14	50	Gas	10,275	8,510	54%	67
Pitco	SGC	1	14	35	Gas	9,636	4,899	50%	55
Pitco	SGH50	1	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-2**	2	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-3**	3	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-4**	4	14	50	Gas	10,275	8,510	54%	67
Pitco	SGH50-5**	5	14	50	Gas	10,275	8,510	54%	67

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Pitco	SGH50-6**	6	14	50	Gas	10,275	8,510	54%	67
Pitco	SSH55-**	1	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-2**	2	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-3**	3	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-4**	4	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-5**	5	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55-6**	6	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-**	1	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-2**	2	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-3**	3	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-4**	4	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-5**	5	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH55D-6**	6	14	50	Gas	11,138	8,140	55%	72
Pitco	SSH60-**	1	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-2**	2	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-3**	3	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-4**	4	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-5**	5	14	60	Gas	-	8,705	58%	76
Pitco	SSH60-6**	6	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-**	1	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-2**	2	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-3**	3	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-4**	4	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-5**	5	14	60	Gas	-	8,705	58%	76
Pitco	SSH60D-6**	6	14	60	Gas	-	8,705	58%	76
Pitco	SSH60R-**	1	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-2**	2	14	60	Gas	-	8,446	52%	74

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Pitco	SSH60R-3**	3	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-4**	4	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-5**	5	14	60	Gas	-	8,446	52%	74
Pitco	SSH60R-6**	6	14	60	Gas	-	8,446	52%	74
Pitco	SSH60W-**	1	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-2**	2	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-3**	3	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-4**	4	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-5**	5	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH60W-6**	6	18	60	Gas	15,781	10,644	55%	76
Pitco	SSH75-**	1	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-2**	2	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-3**	3	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-4**	4	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-5**	5	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75-6**	6	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-**	1	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-2**	2	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-3**	3	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-4**	4	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-5**	5	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75D-6**	6	18	75	Gas	14,884	11,226	61%	99
Pitco	SSH75R-**	1	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-2**	2	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-3**	3	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-4**	4	18	75	Gas	16,935	11,819	56%	107
Pitco	SSH75R-5**	5	18	75	Gas	16,935	11,819	56%	107

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Pitco	SSH75R-6**	6	18	75	Gas	16,935	11,819	56%	107
Pitco	SSHLV14	1	13	32	Gas	8,141	7,409	53%	66
Pitco	VF35S	1	14	35	Gas	9,456	7,349	50%	59
Pitco	VF65S	1	18	65	Gas	15,636	9,953	54%	80
Royal Range	REEF-35	1	14	35	Gas	10,592	8,764	54%	60
Royal Range	RHEF-45**	1	14	45	Gas	7,095	4,569	63%	71
Royal Range	RHEF-75**	1	18	75	Gas	12,941	5,017	72%	129
Ultrafryer Systems	B-IR-18-2-***	2	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-18-3-***	3	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-18-4-***	4	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-18-5-***	5	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	B-IR-20-2-***	2	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-3-***	3	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-4-***	4	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-5-***	5	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IR-20-6-***	6	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	B-IRC-14-2-***	2	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRC-14-3-***	3	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRC-14-4-***	4	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRC-14-5-***	5	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	B-IRD-14-2-***	2	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-IRD-14-3-***	3	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-IRD-14-4-***	4	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-IRD-14-5-***	5	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	B-P20-18-2-***	2	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-3-***	3	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-4-***	4	18	100	Gas	16,923	5,641	62%	68

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Ultrafryer Systems	B-P20-18-5-***	5	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-18-6-***	6	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	B-P20-20-2-***	2	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-3-***	3	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-4-***	4	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-5-***	5	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P20-20-6-***	6	20	125	Gas	21,939	7,038	62%	79
Ultrafryer Systems	B-P30-14-2-***	2	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-3-***	3	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-4-***	4	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-5-***	5	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-14-6-***	6	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	B-P30-18-2-***	2	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-3-***	3	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-4-***	4	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-5-***	5	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	B-P30-18-6-***	6	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	C-P30-14	1	14	30	Gas	9,816	4,120	60%	60
Ultrafryer Systems	F-IR-18-**	1	18	80	Gas	14,306	5,177	59%	88
Ultrafryer Systems	F-IR-20-***	1	20	125	Gas	19,092	6,626	57%	84
Ultrafryer Systems	F-IRC-14-***	1	14	45	Gas	9,158	4,136	56%	72
Ultrafryer Systems	F-IRD-14-**	1	14	50	Gas	11,937	4,201	59%	73
Ultrafryer Systems	F-P20-18	1	18	100	Gas	16,923	5,641	62%	68
Ultrafryer Systems	F-P25-18	1	18	100	Gas	15,372	5,710	59%	89
Ultrafryer Systems	F-P30-14	1	14	50	Gas	7,450	4,180	65%	73
Ultrafryer Systems	F-P30-18	1	18	100	Gas	20,859	5,993	61%	120
Ultrafryer Systems	P20-18	1	18	100	Gas	16,923	5,641	62%	68

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to
Table of Contents](#)

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Ultrafryer Systems	P20-20	1	20	125	Gas	21,939	7,038	62%	79
Vulcan	1TR45**	1	14	45	Gas	7,548	4,318	61%	69
Vulcan	1TR65**	1	20	65	Gas	12,278	5,083	60%	82
Vulcan	1TR85**	1	20	85	Gas	15,072	5,575	60%	87
Vulcan	1VEG35M	1	14	35	Gas	9,785	7,296	50%	57
Vulcan	1VHG50**	1	14	50	Gas	9,579	7,885	56%	69
Vulcan	1VHG75**	1	18	75	Gas	17,160	11,914	58%	112
Vulcan	1VK45**	1	14	45	Gas	8,192	4,636	65%	78
Vulcan	1VK65**	1	20	65	Gas	11,914	4,838	66%	91
Vulcan	1VK85**	1	20	85	Gas	15,039	6,075	66%	100
Vulcan	2TR45**	2	14	45	Gas	7,548	4,318	61%	69
Vulcan	2TR65**	2	20	65	Gas	12,278	5,083	60%	82
Vulcan	2TR85**	2	20	85	Gas	15,072	5,575	60%	87
Vulcan	2VHG50**	2	14	50	Gas	9,579	7,885	56%	69
Vulcan	2VHG75**	2	18	75	Gas	17,160	11,914	58%	112
Vulcan	2VK45**	2	14	45	Gas	8,192	4,636	65%	78
Vulcan	2VK65**	2	20	65	Gas	11,914	4,838	66%	91
Vulcan	2VK85**	2	20	85	Gas	15,039	6,075	66%	100
Vulcan	3TR45**	3	14	45	Gas	7,548	4,318	61%	69
Vulcan	3TR65**	3	20	65	Gas	12,278	5,083	60%	82
Vulcan	3TR85**	3	20	85	Gas	15,072	5,575	60%	87
Vulcan	3VHG50**	3	14	50	Gas	9,579	7,885	56%	69
Vulcan	3VHG75**	3	18	75	Gas	17,160	11,914	58%	112
Vulcan	3VK45**	3	14	45	Gas	8,192	4,636	65%	78
Vulcan	3VK65**	3	20	65	Gas	11,914	4,838	66%	91
Vulcan	3VK85**	3	20	85	Gas	15,039	6,075	66%	100
Vulcan	4TR45**	4	14	45	Gas	7,548	4,318	61%	69
Vulcan	4TR65**	4	20	65	Gas	12,278	5,083	60%	82

CEW Qualified Fryers

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

[Back to](#)
[Table of Contents](#)

Company	Model Number	Number of Vats	Vat Width	Shortening Capacity (lb)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)
Vulcan	4TR85**	4	20	85	Gas	15,072	5,575	60%	87
Vulcan	4VHG50**	4	14	50	Gas	9,579	7,885	56%	69
Vulcan	4VHG75**	4	18	75	Gas	17,160	11,914	58%	112
Vulcan	4VK45**	4	14	45	Gas	8,192	4,636	65%	78
Vulcan	4VK65**	4	20	65	Gas	11,914	4,838	66%	91
Vulcan	4VK85**	4	20	85	Gas	15,039	6,075	66%	100

CEW Qualified Steam Cookers

[Back to
Table of Contents](#)

Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company	Model Number	Steamer Type	Pan Capacity	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lb/h)	Water Use (gph)
AccuTemp	N6*****	Boilerless	6 pan	Gas	8,054	1,198	44%	132	1.8
American Cook Systems	SG-6	Boilerless	6 pan	Gas	8,226	1,266	45%	141	< 3
Cleveland	22CGT3.1	Boilerless	3 pan	Gas	6,520	2,440	39%	44	2.2
Cleveland	22CGT6.1	Boilerless	6 pan	Gas	7,880	3,640	43%	84	1.7
Cleveland	24CGA10.2ES	Steam Generator	10 pan	Gas	15,616	3,894	45%	181	15.8
Cleveland	24CGA6.2ES	Steam Generator	6 pan	Gas	14,472	5,764	48%	129	11.8
Intek	XSG-5	Boilerless	5 pan	Gas	7,112	7,027	49%	96	< 3.0
Market Forge	ETP-10G	Steam Generator	10 pan	Gas	16,690	5,766	40%	182	7.5
Market Forge	Sirius II-10	Boilerless	10 pan	Gas	12,850	11,442	48%	127	1.4
Market Forge	Sirius II-12	Boilerless	12 pan	Gas	13,000	11,184	47%	126	1.8
Market Forge	Sirius II-4	Boilerless	4 pan	Gas	6,350	5,850	49%	64	0.5
Market Forge	Sirius II-6	Boilerless	6 pan	Gas	6,500	5,592	47%	63	0.9
Market Forge	Sirius II-8	Boilerless	8 pan	Gas	12,700	11,700	49%	128	1
Unified Brands, Inc/Groen	XSG-5	Boilerless	5 pan	Gas	7,112	7,027	49%	96	< 3.0